INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 68, 1995
AUTHOR INDEX†

Abrams, Philip I., What do end users of oilfield elastomer seals really want? (abs-F94#57) (1) 182
Africk, Steven A. and Caprette, S. J., Jr., Development of lossy materials with low ratios of dynamic to static modulus by crosslinking (abs-S94#4) (4) 689
Ahagon, Asahiro, Molecular weight defined in sol–gel analysis and its application to evaluate branching (2) 287
Ainsworth,. O. C., see Stephens, K. E. (abs-F94#13) (1) 170
Ajaz, A. G., Hydroxy-terminated polybutadiene telechelic polymer (HTPB): Binder for solid rocket propellants (review) (3) 481
Armistead, J. P., Book Review: L. H. Peebles, "Carbon Fibers: Formation, Structure, and Properties" (1) G9
Arrant, Harold D., see Obermaier, Christina H. (abs-S95#18) (4) 692
Asaletha, R., Thomas, Sabu, and Kumaran, M. G., The technological compatibiliation of natural rubber/polystyrene blends by the addition of natural rubber-*graft*-polystyrene (4) 671
Ashworth, P. P., The role of ISO/TC 45 in international standardization (abs-F94#96) (1) 194
Askea, Donald W., Processability measurements using stress relaxation and the systems approach to controlled mixing (abs-F94#31) (1) 176

Bartelds, H., see Hous, P. (abs-F94#61) (1) 183
Basfar, Ahmed A., see Lambert, Byron J. (abs-F94#43) (1) 178
Becklin, Doug, Herman, Tom, Ponto, Steve, and Rozynov, Boris, Vulcanization fumes—A laboratory study using a laboratory scale molding press (abs-S95#31) (4) 695
Beckman, Dieter, CEN Standardization—Europe's connecting joint between national and global standardization—the rubber industry (abs-F94#98) (1) 195
Benge, James E. and Berkey, Brian D., Safe handling of organic peroxides (abs-F94#2) (1) 167
Benko, David A., see Obermaier, Christina H. (abs-S95#18) (4) 692
Bennyhoff, Bonnie R., TPEs: The choice for rubber recycling (abs-F94#39) (1) 177
Berkey, Brian D., see Benge, James E. (abs-F94#2) (1) 167
Bhattacharyya, Pritimoy, see Ganesan, L. (1) 132
Bhowmick, Anil K., see Ganesan, L. (1) 132
Billingham, N. C., see Pushpa, S. A. (5) 705
Blacher, S., see Darmstadt, H. (2) 330
Bodnar, Stephen C., see Sloan, James M. (abs-F94#23) (1) 173
Böhm, Georg G. A. and Nguyen, My N., Flocculation of carbon black in filled rubber compounds—Flocculation occurring in unvulcanized compounds during annealing at elevated temperatures (abs-F94#68) (1) 185
Bond, Karen M., see Plasczynski, Thad (abs-F94#92) (1) 193
Bradford, William G., and Recchio, Michael J. (abs-F94#17) (1) 172
Brann, Jeff E., A comparison of ENGAGE® Polyolefin elastomers and EPM/EPDM elastomers (abs-F94#87) (1) 191
Breach, William D. and Carlson, Douglas, Development of compounds for annular blow-out preventers: Use of selected pairs of carbon blacks (abs-F94#72) (1) 186
Brouers, F., see Darmstadt, H. (2) 330
Buchholz, Hans-Volker, see Hill, Alistair (abs-S95#56) (4) 702
Bull, Charles, Jr., see Colvin, Howard, (5) 746
Burhin, Henri, see Sezna, John A. (abs-F94#93) (1) 193
Bussem, Hermann, see Hertz, Jr. D. L. (abs-F94#58) (1) 182

*The first issue of Volume 68 contains abstracts of Fall 1994 Meeting Papers not published in full in Rubber Chemistry and Technology. The papers are cited in this index as (abs-F94#..) with the appropriate paper number inserted. The fourth issue of Volume 68 has abstracts from the Spring 1995 meeting. They are cited using a similar convention, *i.e.*, (abs-S95#..). Complete copies of these papers may be obtained from the Rubber Division Library, The University of Akron, Akron OH 44325-3907.

†Prepared by Lois W. Brock.

INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 68, 1995
AUTHOR INDEX†

Abrams, Philip I., What do end users of oilfield elastomer seals really want? (abs-F94#57) (1) 182
Africk, Steven A. and Caprette, S. J., Jr., Development of lossy materials with low ratios of dynamic to static modulus by crosslinking (abs-S94#4) (4) 689
Ahagon, Asahiro, Molecular weight defined in sol–gel analysis and its application to evaluate branching (2) 287
Ainsworth,. O. C., see Stephens, K. E. (abs-F94#13) (1) 170
Ajaz, A. G., Hydroxy-terminated polybutadiene telechelic polymer (HTPB): Binder for solid rocket propellants (review) (3) 481
Armistead, J. P., Book Review: L. H. Peebles, "Carbon Fibers: Formation, Structure, and Properties" (1) G9
Arrant, Harold D., see Obermaier, Christina H. (abs-S95#18) (4) 692
Asaletha, R., Thomas, Sabu, and Kumaran, M. G., The technological compatibiliation of natural rubber/polystyrene blends by the addition of natural rubber-*graft*-polystyrene (4) 671
Ashworth, P. P., The role of ISO/TC 45 in international standardization (abs-F94#96) (1) 194
Askea, Donald W., Processability measurements using stress relaxation and the systems approach to controlled mixing (abs-F94#31) (1) 176

Bartelds, H., see Hous, P. (abs-F94#61) (1) 183
Basfar, Ahmed A., see Lambert, Byron J. (abs-F94#43) (1) 178
Becklin, Doug, Herman, Tom, Ponto, Steve, and Rozynov, Boris, Vulcanization fumes—A laboratory study using a laboratory scale molding press (abs-S95#31) (4) 695
Beckman, Dieter, CEN Standardization—Europe's connecting joint between national and global standardization—the rubber industry (abs-F94#98) (1) 195
Benge, James E. and Berkey, Brian D., Safe handling of organic peroxides (abs-F94#2) (1) 167
Benko, David A., see Obermaier, Christina H. (abs-S95#18) (4) 692
Bennyhoff, Bonnie R., TPEs: The choice for rubber recycling (abs-F94#39) (1) 177
Berkey, Brian D., see Benge, James E. (abs-F94#2) (1) 167
Bhattacharyya, Pritimoy, see Ganesan, L. (1) 132
Bhowmick, Anil K., see Ganesan, L. (1) 132
Billingham, N. C., see Pushpa, S. A. (5) 705
Blacher, S., see Darmstadt, H. (2) 330
Bodnar, Stephen C., see Sloan, James M. (abs-F94#23) (1) 173
Böhm, Georg G. A. and Nguyen, My N., Flocculation of carbon black in filled rubber compounds—Flocculation occurring in unvulcanized compounds during annealing at elevated temperatures (abs-F94#68) (1) 185
Bond, Karen M., see Plasczynski, Thad (abs-F94#92) (1) 193
Bradford, William G., and Recchio, Michael J. (abs-F94#17) (1) 172
Brann, Jeff E., A comparison of ENGAGE® Polyolefin elastomers and EPM/EPDM elastomers (abs-F94#87) (1) 191
Breach, William D. and Carlson, Douglas, Development of compounds for annular blow-out preventers: Use of selected pairs of carbon blacks (abs-F94#72) (1) 186
Brouers, F., see Darmstadt, H. (2) 330
Buchholz, Hans-Volker, see Hill, Alistair (abs-S95#56) (4) 702
Bull, Charles, Jr., see Colvin, Howard, (5) 746
Burhin, Henri, see Sezna, John A. (abs-F94#93) (1) 193
Bussem, Hermann, see Hertz, Jr. D. L. (abs-F94#58) (1) 182

*The first issue of Volume 68 contains abstracts of Fall 1994 Meeting Papers not published in full in Rubber Chemistry and Technology. The papers are cited in this index as (abs-F94#..) with the appropriate paper number inserted. The fourth issue of Volume 68 has abstracts from the Spring 1995 meeting. They are cited using a similar convention, *i.e.*, (abs-S95#..). Complete copies of these papers may be obtained from the Rubber Division Library, The University of Akron, Akron OH 44325-3907.

†Prepared by Lois W. Brock.

Bussem, Hermann, see Hertz, D. L. (review) (3) 540
Byrne, Catherine A., see McHugh, Emily A. (abs-S95#10) (4) 690

Caprette, S. J. Jr., see Africk, Steven A. (abs-S95#4) (4) 689
Carlson, Douglas, see Breach, William D. (abs-F94#72) (1) 186
Casselmann, Holger, see Nusch, Rudiger (abs-F94#53) (1) 181
Chang, W. Victor, see Sun, Shoechang (1) 1
Chappas, Walter J., see Lambert, Byron J. (abs-F94#43) (1) 178
Chen, Augustine T., Smith, Curtis P. O'Connor, James M. and Wells, Richard R.A, Study of aliphatic polyurethane elastomers derived from aliphatic diisocyanates with different isomer ratios (abs-F94#25) (1) 174
Chen, J., see Isayev, A. I. (2) 267
Chen, Z. J., Remediakis, N. G. Shaw, M. T. and Weiss, R. A., The structure development and phase behavior of flowing polybutadiene/polyisoprene elastomer blends (abs-F94#77) (1) 188
Cheng, Hongfei, see Li, Tao (5) 773
Choi, J. S., see Roland, Michael (abs-S95#1) (4) 688
Chouchaoui, B. and Ulrich, E., Characterizing rubber elastic behavior for finite element modelling (abs-S95#57) (4) 703
Chung, Bin, see Monthey, Steven (abs-F94#91) (1) 193
Chung, Bin, Menashi, Jameel, Mackay, Bruce E. and Curtis, Daniel J., The influence of carbon black morphology and pellet properties on macro-dispersion in rubber compounds (abs-S95#55) (4) 702
Clark, R. J. and Henkee, C. S., Poly(ether amide) triblock and star block copolymers (abs-F94#50) (1) 180
Class, Jay B., Fundamentals of crosslinking with peroxides (abs-F94#3) (1) 167
Cole, Richard W., Finding recycling solutions for the reuse of manufacturing waste in a variety of polymer types (abs-F94#71) (1) 186
Collart, Paul, see Puskas, Judit E. (abs-F94#76) (1) 188
Colman, Michael M., The characterization of polymer blends by infrared spectroscopy (abs-S95#15) (4) 691
Colvin, Howard and Bull, Charles, Jr., Sulfur/olefin copolymers as vulcanizing agents for rubbers (5) 746
Concienne, L. H., see Sekinger, J. K. (abs-S95#39) (4) 697
Corallo, Greg, A historical review of light-duty tire carcass reinforcement and the state of current and next generation technology (abs-S9526) (4) 694
Coran, Aubert Y., Vulcanization: Conventional and dynamic (3) 351
Costello, Michael S., see Drake, Ronald E. (abs-F94#15) (1) 171
Costin, Richard and Nagel, Walter, Metallic coagents for rubber to metal adhesion (abs-F94#16) (1) 171
Costin, Richard and Nagel, Walter, Coagent selection for rubber applications (abs-F94#14) (1) 170
Coughlin, Jim, see Putnam, John B. (abs-F94#95) (1) 194
Coveney, V. A., Johnson, D. E. and Turner, D. M., A triboelastic model for the cyclic mechanical behavior of filled vulcanizates (4) 660
Crowley, Stephen R. and Snider, David A., A finite element analysis and resulting test data of a composite elastomeric bearing (abs-F94#73) (1) 187
Cudby, Paul E. F. and Gilby, Barry A., Scanning transmission imaging of elastomer blends using an unmodified conventional scanning electron microscope (2) 342
Cullen, William C., Temperature effects of solar heating and radioactive cooling on the performance of EPDM membrane roofing (abs-S95#47) (4) 700
Curtis, Daniel J., see Chung, Bin, (abs-S95#55) (4) 70

Darmstadt, H., Roy, C., Kaliaguine, S., Sahouli, B., Blacher, S., Pirard, R., and Brouers, F., Fractal analysis of commercial and pyrolitic carbon blacks using nitrogen absorption data (2) 330
Datta, R. N. and Ivany, M. S., Improved tire performance through crosslink compensation (abs-S95#32) (4) 696
Datta, R. N. and Ivany, M. S., New concept for reversion protection of accelerated sulfur systems (abs-F94#90) (1) 192
De, P. P., see Roychoudhury, A. (abs-S95#53) (4) 71
De, P. P., see Roychoudhury, A. (5) 815
De, P. P., see Kurian, Thomas (abs-S95#52) (4) 701
De, S. K., see Kurian, Thomas (abs-S95#52) (4) 701
Delgado, Ana H., see Paroli, Ralph M. (abs-S95#48) (4) 700

DePaolo, Sr., Patrick, Thermoplastic compounding with recycled materials for commercial success (abs-F94#70) (1) 186
Devasthali, Prakash. Rubber footwear: Applications and manufacture (abs-F94#82) (1) 190
Dew, James T., see Evans, Larry R. (abs-S95#51) (4) 701
Dick, John, see Pawlowski, Henry (abs-S95#50) (4) 700
Dick, John and Pawlowski, Henry, Applications for the curemeter maximum cure rate in rubber compound development and process control (abs-S95#41) (4) 698
Dick, John S., see Pawlowski, Henry (abs-F94#32) (1) 176
Dick, John S., ASTM in the globalization of rubber standards and specifications (abs-F94#97) (1) 195
Dierkes, Ir. W., SURCRUM® A new development in rubber recycling (abs-S95#54) (4) 702
Doherty, Martin, Rijpkema, B., and Weening, W., Promoting aramid-rubber adhesion without epoxies (abs-S95#17) (4) 691
Donovan, J. A., see Krishnan, V. (5) 804
Donovan, J. A., see Ramakrishnan, R. (4) 609
Donovan, James A., Ramakrishnan, R., and Kliman, J., Temperature of the rubber wheel during wear testing on a Lambourn Abrader (abs-S95#43) (4) 699
Drake, Ronald and Labriola, John M., Some fundamental considerations in the use of coagents in peroxide curable elastomers (abs-F94#5) (1) 168
Drake, Ronald E., Holliday, Jeffrey J., and Costello, Michael S. Use of polybutadiene coagents in peroxide cured elastomers for wire and cable (abs-F94#15) (1) 171
Duynstee, Eduard F. J., see van Duin, Martin, (abs-F94#80) (1) 189

Earhart, Neal J., The use of UV stabilizers in a white single-ply roofing membrane to improve product performance (abs-F94#42) (1) 178
Effler, L. J., see Stephens, K. E. (abs-F94#13) (1) 170
Eisele, U., see Sumner, A. J. M. (abs-F94#18) (1) 172
Eisele, U., see Kelbeh, S. A. (abs-F94#19) (1) 172
Elier, Robert, The impact of recycling on thermoplastic elastomers (abs-F94#40) (1) 177
Ellul, Maria D., Patel, Jaymini, and Tinker, Andrew J., Crosslink densities and phase morphologies in dynamically vulcanized TPEs (4) 573
Ellul, Maria D., Patel, Jaymini, and Tinker, Andrew J., Crosslink densities and phase morphologies in dynamically vulcanized TPEs (abs-F94#26) (1) 175
Emerson, Roy J., see Welsh, Frank E. (abs-S95#59) (4) 703
Endstra, W. C., Seeberger, D. B.,* and Ivany, M. Crosslinking of polymers with sulfur/accelerators or peroxides? (abs-F94#1) (1) 167
Endstra, W. C., Compounding characteristics for peroxide cure (abs-F94#4) (1) 168
Evans, Larry R., see Waddell, Walter H. (abs-S95#20) (4) 692
Evans, Larry R., Hope, Jeffrey C., Okel, Timothy A., and Waddell, Walter H., The use of precipitated silica to improve brass-coated wire-to-rubber adhesion (abs-S95#16) (4) 691
Evans, Larry R., Dew, James T., Hope, Lisa T., Krivak, Thomas G., and Waddell, Walter H., Hi-Si®EZ: Easy dispersing precipitated silica for tire and rubber applications (abs-S95#51) (4) 701
Evans, Larry R. and Waddell, Walter H., Hi-Sil® 2000 ultra-high reinforcing precipitated silica for tire and rubber applications (abs-F94#88) (1) 192
Ewers, David J. and Kelley, Frank N., International Rubber Science Hall of Fame Inductee Maurice Morton, 1913–1994 (2) G27

Feke, D. L., see Li, Qi (5) 836
Ferrandino, Mark P., Sanders, Juan A. and Hong, Sung W., Tetrabenzylthiuram disulfide: A secondary accelerator for stable crosslink systems in tire applications (abs-S95#29) (4) 695
Fitzpatrick, Jimmy, Robotic bale unloader (abs-F94#89) (1) 192
Fox, Robert B., Nomenclature for polymeric materials (review) (3) 547
Fritz, Tammy L., see Lawson, David F. (abs-F94#47) (1) 179

Gadday, Glen D., Shrinkage and embrittlement in ballasted EPDM roof membrane materials: Analysis of performing and failed membranes (abs-S95#46) (4) 699
Gaddy, Glen D., Glass transition temperature and performance of PVC roof membrane materials: Analysis of performing membranes (abs-S95#38) (4) 697
Gadkari, Avi, see Kyu, Thein (1) 110
Galan, C., see Sierra, C. A. (2) 259
Ganesan, L, Bhattacharyya, Pritimoy, and Bhowmick, Anil K., Quantitative fractography of rubber by image processing technique (1) 132
Ganghoffer, J. F. and Schultz, J., A theoretical approach to cavitation in rubber (5) 757
Gay, Alicia L. and Young, H. W., Flow characteristics of high crystalline EPDM and its micromolecular structure (abs-F94#30) (1) 175

Gdanski, R. D., Molecular modeling of butadiene–acrylonitrile pre-elastomer (abs-F94#74) (1) 187
Gent, A. N. and Lai, S.-M., Adhesion and autohesion of rubber compounds: Effect of surface roughness (1) 13
Gerspacher, M., see Wampler, W. A. (abs-F94#52) (1) 180
Gerspacher, M., see van de Walle, A. (abs-F94#10) (1) 169
Gerspacher, M., see Rinewalt, J. R. (abs-F94#8) (1) 169
Gerspacher, Michael, see Wampler, Wesley A. (abs-S95#40) (4) 698
Ghebremeskel, Ghebrehiwet, see Sekinger, J. K. (abs-S95#39) (4) 697
Gilby, Barry A., see Cudby, Paul E. F. (2) 342
Gish, Brian D., A performance classification system for polymer based roofing material (abs-S95#36) (4) 697
Gomez Fatou, J. M., see Sierra, C. A. (2) 259
Goodson, James E., Equipment and sealing systems for HP/HT completions (abs-F94#59) (1) 182
Goonetillike, P., see Pushpa, S. A. (5) 705
Göritz, D. and Niedermeier, W., Scanning probe microscopy—Mechanics on a molecular level (abs-F94#9) (1) 169
Göritz, D., Gramespacher, H. J., and Hafner, O. T., Solid state contribution to the dynamic modulus (abs-S95#42) (4) 698
Gorman, W. B. and Usmani, A. M., Application of polymer and asphalt chemistries in roofing (abs-S95#34) (4) 696
Gramespacher, H. J., see Göritz, D. (abs-S95#42) (4) 698
Gronski, W., see Maas, S. (4) 652
Gronski, W., see Maas, S. (abs-F94#7) (1) 169
Gulliani, D. and Wilusz, E., Properties of brominated copolymers of isobutylene and *p*-methylstyrene (abs-S95#11) (4) 690
Gunnigle, James R., Recycled rubber based compounds—An unusual opportunity to cut costs (abs-F94#68) (1) 186

Haasnoot, J. G., see Versloot, P. (4) 563
Haasnoot, Jaap G., see van Duin, Martin (abs-F94#80) (1) 189
Hafner, O. T., see Göritz, D. (abs-S95#42) (4) 698
Hall, J. E., see Mouri, H. (abs-F94#56) (1) 181
Hamed, G. R. and Wu, P. S., Relationship between the cohesive strength and tack of elastomers. Part IV. Carbon black filled styrene–butadiene rubber (2) 248
Hamed, Gary R. and Hsu, Jing-Ming, Effect of hydrocarbon and amine diluents on the properties of dicumyl peroxide cured styrene–butadiene rubber, Part I: Gum compositions (2) 212
Hamed, Gary R., see Obermaier, Christina H. (abs-S95#18) (4) 692
Hammer, G. E., Auger electron spectroscopy and the analysis of brass-rubber adhesive interphase (abs-S95#21) (4) 693
Han, Peter K. and White, James L., Rheological studies of dynamically vulcanized and mechanical blends of polypropylene and ethylene–propylene rubber (5) 728
Hashim, A. S., see Yoon, J. R. (5) 824
Hatgas, David J. and Spector, Richard C., Tape products used in EPDM roof systems (abs-S95#37) (4) 697
Hattori, I., see Tadaki, Toshgihiro (abs-F94#64) (1) 184
Hedberg, D., see Simula, Glen R. (abs-S95#8) (4) 689
Heinrich, Gert, see Klüppel, Manfred (4) 623
Heinrich, Gert and Vilgis, Thomas A., Physical adsorption of polymers on disordered filler surfaces (1) 26
Henkee, C. S., see Clark, R. J. (abs-F94#50) (1) 180
Herman, Tom, see Becklin, Doug (abs-S95#31) (4) 695
Hertz, D. L., Bussem, Hermann, and Ray, T. W., Nitrile rubber—Past, present and future (review) (3) 540
Hertz, Jr., D. L., Bussem, Hermann, and Riley, T. W., Nitrile rubber—Past, present, and future (abs-F94#58) (1) 182
Hewitt, N. L., Improving silica reinforcement (abs-F94#65) (1) 184
Hill, Alistair, Buchholz, Hans-Volker, and Wenzel, Klaus, Design of experiments: Comparison of different experimental designs in the analysis of an elastomer injection molding process (abs-S95#56) (4) 702
Hirahara, Hidetoshi, see Mori, Kunio (1) 97
Holliday, Jeffrey J., see Drake, Ronald E. (abs-F94#15) (1) 171
Holownia, B. P., Rubber cylinders under hydrostatic pressure with variable Poisson's ratio (4) 585
Hong, Sung W., see Ferrandino, Mark P. (abs-S95#29) (4) 695
Hope, Jeffrey C., see Evans, Larry R. (abs-S95#16) (4) 691
Hope, Lisa T., see Evans, Larry R. (abs-S95#51) (4) 701
Horkay, F., see Waldron, W. K. Jr. (abs-S95#23) (4) 693

Hous, P., Bartelds, H., and Smit, E., Quantitative determination of polychlorinated dioxide/furans during combustion of chlorobutyl-lined tires (abs-F94#61) (1) 183
Hsu, Jing-Ming, see Hamed, Gary R. (2) 212

Ignatz-Hoover, Frederick, see To, Byron H. (abs-F94#51) (1) 180
Ikeda, Y., see Yoon, J. R. (5) 824
Isayev, A. I., Chen, J., and Tukachinsky, Novel ultrasonic technology for devulcanization of waste rubbers (2) 267
Ivany, M., see Endstra, W. C. (abs-F94#1) (1) 167
Ivany, M. S., see Datta, R. N. (abs-F94#90) (1) 192
Ivany, M. S., Datta, R. N. (abs-S95#32) (4) 696

Johnson, Arthur R., see Quigley, Claudia J. (2) 230
Johnson, Arthur R. and Quigley, C. J., Research issues in viscoelastic modelling of elastomer components (abs-S95#7) (4) 689
Johnson, D. E., see Coveney, V. A. (4) 660
Jones, F. Kenneth, see Kohli, Tejbans S. (abs-F94#41) (1) 178
Jones, Mark S. and Smith, Charles T., Carboxylated hydrogenated nitrile rubber: a Unique elastomer which exceeds the performance of traditional elastomers (abs-F94#81) (1) 190

Kaliaguine, S., see Darmstadt, H. (2) 330
Kasner, A. I. and Meinecke, E. A., Effect of porosity on mechanical properties of rubber (2) 219
Kawabata, Sueo, Yamashita, Yoshihiro, Ooyama, Hajime, and Yoshida, Shuichi, Mechanism of carbon black reinforcement of rubber vulcanizate (2) 311
Keach, Charles B., see Welsh, Frank E. (abs-S95#59) (4) 703
Kelbeh, S. A., Eisele, U., and Magg, H., A new predictive crack growth test for V-belt compounds (abs-F94#19) (1) 172
Kelbeh, S. A., see Sumner, A. J. M. (abs-F94#18) (1) 172
Kelley, Frank N., see Ewers, David J. (2) G27
Kennedy, Joseph P., see Kyu, Thein (1) 110
Khastgir, D., see Kurian, Thomas (abs-S95#52) (4) 701
Kim, Kyeung, see Lawson, David F. (abs-F94#47) (1) 179
Kliman, J., see Donovan, James A. (abs-S95#43) (4) 699
Kliman, J., see Ramakrishnan, R. (abs-S95#44) (4) 699
Kloczowski, A., see Sharaf, M. A. (4) 601
Klüppel, Manfred and Heinrich, Gert, Fractal structures in carbon black reinforced rubbers (4) 623
Koenig, Jack L., see Mori, Makio (4) 551
Koenig, Jack L., see Mori, Makio (abs-S95#13) (4) 690
Kohjiya, S., see Yoon, J. R. (5) 824
Kohli, Tejbans S., Krakowski, Frank J., Taylor, Thomas C., and Jones, F. Kenneth, Polychloroprene formulation development for vibration isolation applications (abs-F94#41) (1) 178
Kotz, Denise A., see Thomas, Eric W. (abs-F94#94) (1) 194
Krakowski, Frank J., see Kohli, Tejbans S. (abs-F94#41) (1) 178
Krishnan, V., Ramakrishnan, R., and Donovan, J. A., Correlation between laboratory and road rubber wear tests (5) 804
Krivak, Thomas G., see Evans, Larry R. (abs-S95#51) (4) 701
Ku, B., see Lee, B. L. (abs-S95#2) (4) 688
Kumaran, M. G., see Asaletha, R. (4) 671
Kuriakose, Baby, see Varghese, Siby (1) 37
Kurian, Thomas, Khastgir, D., De, P. P., Tripathy, D. K., De, S. K., and Peiffer, D. G., Thermoplastic elastomer based on ionomer (abs-S95#52) (4) 701
Kuruvilla, Joseph, see Varghese, Siby (1) 37
Kyu, Thein, Lee, Hak-Soo, Gadkari, Avi, Kennedy, Joseph P., and Lin, Jar-Shyong, Structural and rheo-optical characterization of random bicomponent networks prepared of hydroxyl-telechelic polyisobutylene and polytetrahydrofuran (1) 110
Kyu, Thein, see Yamamoto, Tsunehiro (1) 158

Labriola, John M., see Drake, Ronald (abs-F94#5) (1) 168
Lai, S. M., see Gent, A. N. (1) 13
Lake, G. J., Fatigue and fracture of elastomers (review) (3) 435
Lambert, Byron J., Basfar, Ahmed A., Chappas, Walter J., and Silverman, Joseph, EB manufacturing of tank track pads (abs-F94#43) (1) 178
Lattimer, Robert P., Direct analysis of elastomer compounds by soft ionization, tandem (MS/MS) and high resolution (AC-MS) mass spectrometry (abs-S95#14) (4) 691
Lattimer, Robert P., Direct analysis of elastomers by soft ionization, tandem (MS/MS) and high resolution (AC-MS) mass spectrometry (5) 783
Lawson, David F., Kim, Kyeung, and Fritz, Tammy L., XPS survey of the reactions of trichloroisocyanuric acid at the surface of vulcanized elastomers (abs-F94#47) (1) 179

Lee, B. L., see Liu, D. S. (abs-S95#28) (4) 695
Lee, B. L., Ku, B., and Liu, D. S., Cumulative damage and fatigue failure criteria of cord–rubber composites (abs-S95#2) (4) 688
Lee, Hak-Soo, see Kyu, Thein (1) 110
Lemieux, Marvin A., see Nelson, John F. (abs-F94#36) (1) 177
Leonov, Arkadii I., see Osanaiye, Gabriel (1) 50
Leyden, Jerry J., see Palmer, Michael S. (abs-F94#27) (1) 175
Li, Tao, Cheng, Hongfei, and Manas-Zloczower, Ica, Analysis of mixing efficiency in a multi-cut transfermix (5) 773
Li, Qi, Feke, D. L., and Manas-Zloczower, I., Influence of aggregate structure and matrix infiltration on the dispersion behavior of carbon black aggregate (5) 836
Lin, Horng-Jau, see Maender, Otto W. (abs-F94#86) (1) 191
Lin, Horng-Jau, Maender, Otto W., and Sikora, David J., Part II: New ultra accelerators—Molecular modification (abs-F94#85) (1) 191
Lin, Horng-Jau, see Sikora, David J. (abs-F94#84) (1) 191
Lin, Jar-Shyong, see Kyu, Thein (1) 110
Liu, D. S. and Lee, B. L., Damage monitoring of cord–rubber composites based on acoustic emission (abs-S95#28) (4) 695
Liu, D. S. and Lee, B. L. Fatigue and residual strength degradation of nylon cord-reinforced rubber composites (abs-F94#20) (1) 173
Liu, D. S., see Lee, B. L. (abs-S95#2) (4) 688
Lodaya, Jayant S., see Maender, Otto W. (abs-F94#86) (1) 191

Ma, Jin, see Padovan, Joe (1) 77
Maas, S. and Gronski, W. Deformation of filler morphology in strained carbon black loaded rubbers. A study by Atomic Force Microscopy (abs-F94#7) (1) 169
Maas, S. and Gronski, W., Deformation of filler morphology in strained carbon black loaded rubbers. A study by atomic force miscroscopy (4) 652
Maas, S. and Gronski, W., Deformation of filler morphology in strained carbon black loaded rubbers. A study by atomic force miscroscopy (4) 652
Mackay, Bruce E., see Chung, Bin (abs-S95#55) (4) 702
Maender, Otto, see Sikora, David J. (abs-F94#84) (1) 191
Maender, Otto W., see Lin, Horng-Jau (abs-F94#85) (1) 191
Maender, Otto W., Lin, Horng-Jau, Lodaya, Jayant S., and Sikora, David J., Part III: New ultra accelerators—Vulcanization of EPDM and nitrile rubbers (abs-F94#86) (1) 191
Magee, R. W., Evaluation of the external surface area of carbon black by nitrogen adsorption (abs-F94#6) (1) 168
Magee, R. W., Evaluation of the external surface area of carbon black by nitrogen adsorption (4) 590
Magg, H., Alternative concepts for NBR/PVC blends: Latex and dry blends (abs-F94#79) (1) 189
Magg, H., see Kelbeh, S. A. (abs-F94#19) (1) 172
Magill, J. H., Crystallization and morphology of rubber (review) (3) 507
Makuuchi, K., see Nablo, Sam V. (abs-F94#83) (1) 190
Manas-Zloczower, Ica, see Li, Qi (5) 836
Manas-Zloczower, Ica, see Li, Tao (5) 773
Maraschi, M. J., TPU's: The versatile performers (abs-F94#12) (1) 170
Mark, J. E., see Sharaf, M. A. (4) 601
McHugh, Emily A., Wilusz, Eugene, and Byrne, Catherine A., Properties of polyurethane elastomers based on hydroxy terminated hydrogenated polyisoprene (abs-S95#10) (4) 690
McKenna, G. B., see Waldron, W. K., Jr. (abs-S95#23) (4) 693
Mead, Joey, see uigley, Claudia J. (2) 230
Medalia, A. I., see Ramakrishnan, R. (4) 609
Meinecke, E. A., see Kasner, A. I. (2) 219
Meissner, B., Bound rubber and elastomer–filler interaction (2) 297
Menashi, Jameel, see Chung, Bin (abs-S95#55) (4) 702
Meyer, Paul, A new concept for a continuous mixer under an internal mixer (abs-F94#78) (1) 188
Molt, P. H. and Roland, C. M., Uniaxial deformation of rubber cylinders (5) 739
Monthey, Steven, Chung, Bin, and Podobnik, John, Developing carbon blacks for efficient compounding and improved performance for industrial rubber products (abs-F94#91) (1) 193
Morgan, Glyn, see Stevenson, Andrew (2) 197
Morgenstern, C. A., see Rinewalt, J. R. (abs-F94#8) (1) 169
Mori, Kunio, Kanae, Kentaro, Hirahara, Hidetoshi, and Oishi, YoshiyukiFormation of surface structure in vulcanizates and surface structure changes in air (1) 97
Mori, Makio and Koenig, Jack L., Solid-state C-13 NMR and equilibrium swelling studies of filled natural rubber vulcanizates—Filler reinforcement effects in terms of network chain density (abs-S95#13) (4) 690
Mori, Makio and Koenig, Jack L., Solid-state C-13 NMR studies of vulcanized elastomers. XIII. TBBS accelerated, sulfur-vulcanization of carbon black filled natural rubber (4) 551

Morris, D. and Thomas, A. G., Solubility of sulfur and dithiocarbamates in natural rubber (5) 794
Morris, Michael D. and Thomas, A. G., Solubility of sulphur and dithiocarbamates in natural rubber (abs-S95#33) (4) 696
Mouri, H. and Hall, J. E., Truck tire rolling resistance (abs-F94#56) (1) 181
Myrick, Ronald E., Property enhancement of melt processible rubber by blending with thermoplastics and elastomers (abs-F94#49) (1) 179

Nablo, Sam V. and Makuuchi, K., Techniques for electron vulcanization of rubber (abs-F94#83) (1) 190
Naderi, Akbar, see Peng, Shu H. (abs-F94#55) (1) 181
Nagel, Walter, see Costin, Richard (abs-F94#16) (1) 171
Nagel, Walter, see Costin, Richard (abs-F94#14) (1) 170
Nakajima, N., Mixing of rubber and viscoelasticity—IV:Viscoelastic characterization of compound (abs-F94#66) (1) 184
Nakajima, N., Viscoelastic behavior of styrene–butadiene–styrene block copolymers in temperature range of glass–rubber transition of styrene block (abs-S95#24) (4) 694
Nakajima, Nobuyuki, see Yamaguchi, Yoichi (abs-S95#22) (4) 693
Nelson, John F. and Lemieux, Marvin A., Thermoplastic elastomers in air bag cover applications (abs-F94#36) (1) 177
Neviere, R., see Traissac, Y. (1) 146
Ngai, K. L. and Plazek, D. J., Identification of different modes of molecular motion in polymers that cause thermorheological complexity (review) (3) 376
Nguyen, My N., see Böhm, Georg G. A. (abs-F94#68) (1) 185
Niedermeier, W., see Göritz, D. (abs-F94#9) (1) 169
Ninous, J., see Traissac, Y. (1) 146
Nusch, Rudiger, Rohde, Ernst, and Casselmann, Holger, Polychloroprene crosslinking for improved ageing resistance (abs-F94#53) (1) 181

O'Connor, James M., see Chen, Augustine T. (abs-F94#25) (1) 174
O'Farrell, C. P., see Wampler, W. A. (abs-F94#52) (1) 180
O'Farrell, C. P., see Wampler, Wesley A. (abs-S95#40) (4) 698
Obermaier, Christina H., Hamed, Gary R., Benko, David A., and Arrant, Harold D., Evaluation of adhesion of Nylon 66 short fibers to natural rubber (abs-S95#18) (4) 692
Oishim Yoshiyuki, see Mori, Kunio (1) 97
Okel, Timothy and Waddell, Walter H. Effect of precipitated silica physical properties on silicone rubber performance (1) 59
Okel, Timothy A., see Evans, Larry R. (abs-S95#16) (4) 691
Ooyama, Hajime, see Kawabata, Sueo, (2) 311
Osanaiye, Gabriel, Leonov, Arkadii I., and White, James L., Rheological properties of rubber-carbon black and carbon black-oil compounds including measurements at very low shear stresses (1) 50
Osborn, John D., Reclaimed tire rubber a useful raw material in TPE compounding (abs-F94#48) (1) 179

Padovan, Joe. Parris, Hua, and Ma, Jin, Large deformation micropolar theory for cord rubber composites (1) 77
Palmer, Michael S., Leyden, Jerry J., and Pannikotu, Abraham, Relaxation phenomen of various classes of thermoplastic elastomers exposed to severe underhood service conditions (abs-F94#27) (1) 175
Pannikottu, Abraham, see Palmer, Michael S. (abs-F94#27) (1) 175
Parker, Dane K., Roberts, Robert F., and Schiessl, Henry W., Improved aging and UV resistance of TPEs derived from 'Diimide-hydrogenated' emulsion SBRs containing bound antioxidant (abs-F94#24) (1) 174
Parker, James R. and Waddell, Walter H., Use of photoacoustic Fourier transform infrared spectroscopy to quantitatively characterize polymer structure (abs-S95#19) (4) 692
Paroli, Ralph M. and Delgado, Ana H., Evaluating the performance of polymeric roofing materials with thermal analysis (abs-S95#48) (4) 700
Parris, Hua, see Padovan, Joe (1) 77
Patel, Jaymini, see Ellul, Maria D. (4) 573
Patel, Jaymini, see Ellul, Maria D. (abs-F94#26) (1) 175
Pawlowski, Henry and Dick, John S., Measurement of dynamic mechanical properties before, during and after cure with a new DMRT (abs-F94#32) (1) 176
Pawlowski, Henry and Dick, John, Measurement of the viscoelastic properties of elastomers with a new dynamic mechanical rheological tester (abs-S95#50) (4) 700
Pawlowski, Henry, see Dick, John (abs-S95#41) (4) 698
Payne, L. D.. see Rinewalt, J. R. (abs-F94#8) (1) 168
Peiffer, D. G., see Kurian, Thomas (abs-S95#52) (4) 701
Peng, Shu H., Su, Henry, and Naderi, Akbar, Measurement and estimation of small-strain modulus for elastomers (abs-F94#55) (1) 181

Pirard, R., see Darmstadt, H. (2) 330
Plasczynski, Thad and Bond, Karen M., New waterborne rubber to metal bonding adhesives (abs-F94#92) (1) 193
Plazek, D. J., see Ngai, K. L. (review) (3) 376
Podobnik, John, see Monthey, Steven (abs-F94#91) (1) 193
Ponto, Steve, see Becklin, Doug (abs-S95#31) (4) 695
Pouyet, J., see Traissac, Y. (1) 146
Price, D. W. R., International standards for rubber and plastic hoses (abs-F94#99) (1) 195
Pushpa, S. A., Goonetillika, P., and Billingham, N. C., Diffusion of antioxidants in rubber (5) 705
Puskas, Judit E., Schmidt, John B., Verhelst, Mark, and Collart, Paul, Prediction of the unsaturation of butyl rubbers on line during the manufacturing process (abs-F94#76) (1) 188
Put, J., see Versloot, P. (4) 563
Put, Jos, see van Duin, Martin (abs-F94#80) (1) 189
Putnam, John B. and Coughlin, Jim, Use of the oscillating disk rheometer to determine characteristics of sponge rubber (abs-F94#95) (1) 194

Quigley, C. J., see Johnson, Arthur R. (abs-S95#7) (4) 689
Quigley, Claudia J., Mead, Joey, and Johnson, Arthur R., Large strain viscoelastic constitutive models for rubber, Part II: Determination of material constants (2) 230

Ramakrishnan, R., see Donovan, James A. (abs-S95#43) (4) 699
Ramakrishnan, R., Donovan, J. A., and Medalia, A. I., The effect of abrading surfaces on the wear of rubber tread compounds (4) 609
Ramakrishnan, R., see Krishnan, V. (5) 804
Ramakrishnan, R., Kliman, J., and Donovan, J. A., Correlation of laboratory and road tread wear tests (abs-S95#44) (4) 699
Ranae, Kentaro, see Mori, Kunio (1) 97
Ray, T. W., see Hertz, D. L. (review) (3) 540
Ray, T. W., see Hertz, Jr., D. L. (abs-F94#58) (1) 182
Rearick, Brett A., New developments in rubber-to-metal adhesion testing (abs-F94#62) (1) 183
Recchio, Michael J., Bradford, William G., and Wood, Michael E., Innovative peroxide and coagent cure systems for use with HNBR Elastomers (abs-F94#17) (1) 172
Reedijk, J., see Versloot, P. (4) 563
Reedijk, Jan, see van Duin, Martin (abs-F94#80) (1) 189
Remediakis, N. G., see Chen, Z. J. (abs-F94#77) (1) 188
Richmond, Bruce R., see Welsh, Frank E. (abs-S95#59) (4) 703
Rijpkema, B., see Doherty, Martin (abs-S95#17) (4) 691
Rim, Peter, Properties and applications of PEN fibers (abs-S95#27) (4) 694
Rinewalt, J. R., Payne, L. D., Morgenstern, C. A., and Gerspacher, M., 3D Reconstruction of carbon black aggregates using stochastic search techniques (abs-F94#8) (1) 169
Roberts, Robert F., see Parker, Dane K. (abs-F94#24) (1) 174
Rohde, Ernst, see Nusch, Rudiger (abs-F94#53) (1) 181
Roland, C. M., see Santangelo, P. G. (1) 124
Roland, C. M., see Molt, P. H. (5) 739
Roland, Michael and Choi, J. S., An elastomeric ejection system (abs-S95#1) (4) 688
Roy, C., see Darmstadt, H. (2) 330
Roychoudhury, A., De, P. P., Roychoudhury, N., and Vidal, A., Chemical interaction between chlorosulfonated polyethylene and silica—Effecr of surface modification of silica (5) 815
Roychoudhury, N., see Roychoudhury, A. (5) 815
Rozynov, Boris, see Becklin, Doug (abs-S95#31) (4) 695
Ruonovaara, N., see Simula, Glen R. (abs-S95#8) (4) 689

Sahouli, B., see Darmstadt, H. (2) 330
Sakakibara, M, see Tadaki, Toshgihiro (abs-F94#64) (1) 184
Samuells, John C., Stevens, Chris A., and Wilson, Karen J., Dumbbell testing: Measuremeent of rubber or machine? (abs-F94#46) (1) 179
Sanders, Juan A., see Ferrandino, Mark P. (abs-S95#29) (4) 695
Santa Quiteria, V. Ruiz, see Sierra, C. A. (2) 259
Santangelo, P. G. and Roland, C. M. Failure properties of natural rubber double networks (1) 124
Saxon, M., see Simula, Glen R. (abs-S95#8) (4) 689
Schiessl, Henry W., see Parker, Dane K. (abs-F94#24) (1) 174
Schmidt, John B., see Puskas, Judit E. (abs-F94#76) (1) 188
School, Rudy, Markets for thermoplastic elastomers into the 21st century (abs-F94#11) (1) 170
Schultz, J.. see Ganghoffer, J. F. (5) 757
Schultz, Neil, Correlative small scale roof fire testing (abs-S95#49) (4) 700
Seeberger, D. B., see Endstra, W. C. (abs-F94#1) (1) 167
Sekinger, J. K., Ghebremeskel, Ghebrehiwet N., and Concienne, L. H. The use of microwave ashing technology for determination of carbon black in styrene–butadiene rubber (abs-S95#39) (4) 697

Sezna, John A. and Burhin, Henri, MDR 2000® P rheometer—A new rotorless curemeter for cellular rubber (abs-F94#93) (1) 193
Sharaf, M. A., Kloczowski, A., and Mark, J. E., Dynamic mechanical losses in filled poly(dimethylsiloxane) networks (4) 601
Sierra, C. A., Galán, C., Gómez Fatou, J.M, and Santa Quiteria, V. Ruíz, Dynamic mechanical properties of tin-coupled SBRs (2) 259
Sikora, David J., Lin, Horng-Jau, and Maender, Otto, Part I: New ultra accelerators—Vulcanization of high-diene rubbers (abs-F94#84) (1) 191
Sikora, David J., see Maender, Otto W. (abs-F94#86) (1) 191
Sikora, David J., see Lin, Horng-Jau (abs-F94#85) (1) 191
Silverman, Joseph, see Lambert, Byron J. (abs-F94#43) (1) 178
Simula, Glen R., Ruonovaara, N., Hedberg, D., and Saxon, M., Effect of torsional stiffness on the fatigue life of military track bushings (abs-S95#8) (4) 689
Singha, Nikhil K., Sivaram, S., and Talwar, S. S., A new method to hydrogenate nitrile rubber in the latex form (2) 281
Sivaram, S., see Singha, Nikhil K. (2) 281
Sloan, James M. and Bodnar, Stephen C., Measurement of diffusion and permeation through rubbery materials (abs-F94#23) (1) 173
Smit, E., see Hous, P. (abs-F94#61) (1) 183
Smith, Charles T., see Jones, Mark S. (abs-F94#81) (1) 190
Smith, Curtis P., see Chen, Augustine T. (abs-F94#25) (1) 174
Smith, Thomas Lee, Improving wind performanmce of mechanically attached single-ply membrane roof systems: Lessons from Hurricane Andrew (abs-S95#45) (4) 699
Snider, David A., see Crowley, Stephen R. (abs-F94#73) (1) 187
Souphanthong, Aniko, see van Duin, Martin (5) 717
Spector, Richard C., see Hatgas, David J. (abs-S95#37) (4) 697
Stanton, Jimmie L., Controlled alloying of CSM roofing membranes with thermoplastic resins (abs-S95#35) (4) 697
Stephens, K. E.. Effler, L. J., and Ainsworth, O. C., Unique olefinic thermoplastic vulcanizates based on chlorinated polyethylene (abs-F94#13) (1) 170
Stevens, Chris A., see Samuells, John C (abs-F94#46) (1) 179
Stevenson, Andrew and Morgan, Glyn, Fracture of elastomers by gas decompression (2) 197
Su, Henry, see Peng, Shu H. (abs-F94#55) (1) 181
Sumner, A. J. M., Kelbeh, S. A., and Eisele, U., Crack growth performance of tire compounds (abs-F94#18) (1) 172
Sun, Shochang and Chang, W. Victor, Nonlinear elastic analysis of the adhesive strength between rubber-like materials and rigid surfaces (1) 1

Tabb, David L., see Thomas, Eric W. (abs-F94#94) (1) 194
Tadaki, Toshgihiro, Tsutsumi, F., Sakakibara, M., and Hattori, I., Solution SBR modified with an isocyanate compound (abs-F94#64) (1) 184
Talwar, S. S., see Singha, Nikhil K. (2) 281
Taylor, Thomas C., see Kohli, Tejbans S. (abs-F94#41) (1) 178
Thomas, A. G., see Morris, Michael D. (abs-S95#33) (4) 696
Thomas, A. G., see Morris, D. (5) 794
Thomas, Eric W., Kotz, Denise A., and Tabb, David L., ADVANTA®: A new intermediate performance specialty elastomer (abs-F94#94) (1) 194
Thomas, Sabu, see Asaletha, R. (4) 671
Thomas, Sabu, see Varghese, Siby (1) 37
Tinker, A. J., Distribution of crosslinks in vulcanized blends (review) (3) 0461
Tinker, Andrew J., see Ellul, Maria D. (abs-F94#26) (1) 175
Tinker, Andrew J., see Ellul, Maria D. (4) 573
Tisler, Andrew L., see To, Byron H. (abs-F94#51) (1) 180
To, Byron H., Ignatz-Hoover, Frederick, and Tisler, Andrew L., Improved rubber properties created with sulfenamide accelerators (abs-F94#51) (1) 180
Traissac, Y., Ninous, J., Neviere, R., and Pouyet, J., Mechanical behavior of a solid composite propellant during motor ignition (1) 146
Tricot, C., see Van de Walle, A. (abs-F94#10) (1) 169
Tripathy, D. K., see Kurian, Thomas (abs-S95#52) (4) 701
Tsutsumi, F., see Tadaki, Toshgihiro (abs-F94#64) (1) 184
Tukachinsky, A., see Isayev, A. I. (2) 267
Turner, D. M., see Coveney, V. A. (4) 660

Ulrich, E., see Chouchaoui, B. (abs-S95#57) (4) 703
Usmani, A. M., see Gorman, W. B. (abs-S95#34) (4) 696

van de Walle, A., Tricot, C., and Gerspacher, M., Modeling carbon black reinforcement in rubber compounds (abs-F94#10) (1) 169
van Duin, M., see Versloot, P. (4) 563
van Duin, Martin, Put, Jos, Duynstee, Eduard F. J., Versloot, Peter, Haasnoot, Jaap G., and Reedijk, Chemistry of sulfur vulcanization of rubber as studied with low-molecular weight olefins (abs-F94#80) (1) 189
van Duin, Martin and Souphanthong, Aniko, The chemistry of phenol-formaldehyde resin vulcanization of EPDM: Part I. Evidence for methylene crosslinks (5) 717
Varghese, Siby, Kuriakose, Baby, Thomas, Sabu, and Joseph, Kuravilla, Effect of adhesion on the equilibrium swelling of short sisal fiber reinforced natural rubber composites (1) 7
Verhelst, Mark, see Puskas, Judit E. (abs-F94#76) (1) 188
Versloot, P., Haasnoot, J. G., Reedijk, J., van Duin, M., and Put, J., Sulfur vulcanization of simple model olefins, Part IV: Vulcanizations of 2,3-dimethyl-2-butene with TMTD and activated zinc dithiocarbamate/xanthate accelerators at different temperatures (4) 563
Versloot, Peter, see van Duin, Martin (abs-F94#80) (1) 189
Vidal, A., see Roychoudhury, A. (abs-S95#53) (4) 701
Vidal, A., see Roychioudhury, A. (5) 815
Vilgis, Thomas A., see Heinrich, Gert (1) 26
Volk, William P., The Texaco liquefaction process (abs-F94#67) (1) 185

Waddell, Walter H., see Evans, Larry R. (abs-S95#16) (4) 691
Waddell, Walter H., see Evans, Larry R. (abs-F94#88) (1) 192
Waddell, Walter H., see Parker, James R. (abs-S95#19) (4) 692
Waddell, Walter H. and Evans, Larry R., Review of applications of proton-induced X-ray emission spectroscopy to tire material characterizations (abs-S95#20) (4) 692
Waddell, Walter H., see Evans, Larry R. (abs-S95#51) (4) 701
Waddell, Walter H., see Okel, Timothy (1) 59
Waldron, W. K., Jr., Horkay, F., and McKenna, G. B., Evaluation of elastomers and lubricants as sealant materials for fluorocarbon refrigerants/Halon fire suppressant replacements. Ia: Swelling measurements of polymer solutions and gels in HCFC agents (abs-S95#23) (4) 693
Walker, F. Joseph, The use of silicone rubber on discarding sabot projectiles (abs-S95#3) (4) 689
Wampler, W. A., Gerspacher, M., Yang, H. H., and O'Farrell, C. P., Dynamic vulcanization: Controlling carbon black dispersion and distribution (abs-F94#52) (1) 180
Wampler, Wesley A., Yang, Henry H., Gerspacher, Michael, and O'Farrell, C. P., High strain dynamic properties: Influence of carbon black (abs-S95#40) (4) 698
Warley, Russell L., Dynamic properties of elastomers as related to vibration isolator performance (abs-S95#58) (4) 703
Weening, W., see Doherty, Martin (abs-S95#17) (4) 691
Weiss, R. A., see Chen, Z. J. (abs-F94#77) (1) 188
Wells, Richard R., see Chen, Augustine T. (abs-F94#25) (1) 174
Welsh, Frank E., Richmond, Bruce R., Keach, Charles B., and Emerson, Roy J., Dynamic reactive mixing of carbon black in tire treads (abs-S95#59) (4) 703
Wenzel, Klaus, see Hill, Alistair (abs-S95#56) (4) 702
White, James L., see Han, Peter K. (5) 728
White, James L., see Osanaiye, Gabriel (1) 50
Williams, Joel L., Medical applications for thermoplastic elastomers (abs-F94#35) (1) 176
Wilson, Karen J., see Samuells, John C. (abs-F94#46) (1) 179
Wilusz, E., see Gulliani, D. (abs-S95#11) (4) 690
Wilusz, Eugene, see McHugh, Emily A. (abs-S95#10) (4) 690
Wise, R. Warren, Aubert Y. Coran, Charles Goodyear Medalist—1995, Biography (3) G47
Wood, Michael E., see Recchio, Michael J. (abs-F94#17) (1) 172
Wu, P. S., see Hamed, G. R. (2) 248

Yamaguchi, Yoichi and Nakajima, Nobuyuki, Long branching in gum *cis*-1,4-polybutadiene and dynamic mechanical behavior at small shear and large elongation (abs-S95#22) (4) 693
Yamamoto, Tsunehiro and Kyu, Thein, Phase separation dynamics of blends of telechelic epoxy terminated polybutadiene and maltene (1) 158
Yamashita, Yoshihiro, see Kawabata, Sueo (2) 311
Yang, H. H., see Wampler, W. A. (abs-F94#52) (1) 180
Yang, Henry H., see Wampler, Wesley A. (abs-S95#40) (4) 698
Yoon, J. R., Ikeda, Y., Hashim, A. S., and Kohjiya, S., Effect of bromination on the properties of ethylene–propylene–diene rubber in the presence of divinylbenzene (5) 824
Yoshida, Shuichi, see Kawabata, Sueo (2) 311
Young, H. W., see Gay, Alicia L. (abs-F94#30) (1) 175

Zedan, David M., Marking rubber parts for recycling (abs-F94#38) (1) 177

SUBJECT INDEX*

^{13}C NMR, of TBBS accelerated sulfur vulcanized black NR (4) 551
^{13}C NMR studies, of swelling of filled NR (abs-S95#13) (4) 690
2,3-dimethyl-2-butene, as model olefin for study of vulcanization mechanism (4) 563
3D reconstruction, of carbon black aggregates, using randomized search (abs-F94#8) (1) 169
4,4'-diisocyanato bicyclohexylmethane, for making superior polyurethanes (abs-F94#25) (1) 174

Abrading surfaces, effect on tread wear (4) 609
Abrasion testing, with Lambourn Abrader, temperature of rubber wheel during (abs-S95#43) (4) 699
Accelerator, for blend of natural and synthetic rubbers (abs-F94#51) (1) 180
Accelerators, ultra, based on nonsecondary amines, molecular modification (abs-F94#85) (1) 191
Accelerators, ultra, from nonsecondary amines, for high-diene rubber vulcanization (abs-F94#84) (1) 191
Acoustic emission, for monitoring damage to cord–rubber composites (abs-S95#28) (4) 695
Adhesion and autohesion, of rubber compounds, effect of surface roughness (1) 13
Adhesion, of aramids to rubber, by fluorinating the fibers (abs-S95#17) (4)691
Adhesion, of brass-coated wire to rubber, improving by use of precipitatedsilica (abs-S95#16) (4) 691
Adhesion, of Nylon 66 short fibers to NR, evaluating (abs-S95#18) (4) 692
Adhesion, of rubber to metal, improving by use of metallic coagent during peroxide crosslinking (abs-F94#16) (1) 171
Adhesive strength, between rubber and rigid surfaces, nonlinear finite element analysis of (1) 1
Adhesives, rubber to metal, waterborne (abs-F94#92) (1) 193
Adsorption, of polymers on disordered filler surfaces (1) 26
ADVANTA®, specialty elastomer with heat- and oil-resistance and good sealing (abs-F94#94) (1) 194
Age resistance, of CR, improved by study of crosslinking conditions (abs-F94#53) (1) 181
Aggregate structure, in carbon black, influence on dispersion (5) 836
Air bag covers, from TPEs (abs-F94#36) (1) 177
Alkane diluents, effect on properties of dicumyl peroxide cured gum SBR (2) 212
Amine diluents, effect on properties of dicumyl peroxide cured gum SBR (2) 212
Analysis, of rubber, direct, using mass spectrometry (5) 783
Antioxidants, bound, for improved aging and UV resistance of TPEs (abs-F94#24) (1) 174
Antioxidants, diffusion in rubber (5) 705
Aramid-rubber adhesion, without use of epoxies (abs-S95#17) (4) 691
Asphalt, modified with rubber, for roofing (abs-S95#34) (4) 696
ASTM, role in global standardization of rubber products (abs-F94#97) (1) 195
Atomic force microscopy, for studying deformation of filler morphology in black rubber (abs-F94#7) (1) 169, (4) 652
Atomic force microscopy, using special modes of scanning to study sample surfaces (abs-F94#9) (1) 169
Auger electron spectroscopy, for analysis of brass-rubber adhesive interphase (abs-S95#21) (4) 693
Automotive applications, of CR, studying crosslinking conditions to attain optimum properties (abs-F94#53) (1) 181

Bale unloader, robotic (abs-F94#89) (1) 192
BCI-MX [1,3-*bis*(citraconimido methyl)benzene], for controlling reversion during vulcanization (abs-S95#32) (4) 696
Bearings, composite elastomeric, analyzing with FEA (abs-F94#73) (1) 187
Binder, for solid rocket propellants, HTPB in (review) (3) 481
Blending, of melt processible rubbers with various thermoplastics and elastomers (abs-F94#49) (1) 179
Blends, of BR/polyisoprene, structure development and phase behavior (abs-F94#77) (1) 188
Blends, of elastomers, distribution of crosslinks in vulcanizates (review) (3) 461
Blends, of NBR/PVC, dry and latex (abs-F94#79) (1) 189
Blends, of NR and polystyrene, compatibilized with NR-*graft*-polystyrene (4) 671
Blends, of polymers, characterized by ir spectroscopy (abs-S95#15) (4) 691

* Prepared by Lois W. Brock.

Blends, of polyolefin and chlorinated polyethylene (abs-F94#13) (1) 170
Blends, of telechelic epoxy-terminated polybutadiene and maltene, phase separation dynamic (1) 158
Blends, studied by scanning transmission imaging with conventional scanning electron microscope (2) 342
Blow-out preventers, compounding with selected pairs of carbon blacks (abs-F94#72) (1) 186
Book Review: "Carbon Fibers: Formation, Structure, and Properties," L. H. Peebles (1) G9
Book Review: "Handbook of Polyvinyl Chloride Formulating," Edward J. Wickson (5) G79
Book Review: "Mold Engineering," H. Rees (5) G79
Book Review: "Plastics Processing—An Introduction," W. Michaeli (3) G50
Book Review: "Understanding Injection Molding Technology," Herbert Rees (4) G60
Bound rubber, and elastomer–filler interaction (2) 297
BR, *cis*-1,4 gum, long branching in and dynamic mechanical behavior (abs-S95#22) (4) 693
BR, hydroxy-terminated, as filler for propellant, testing (1) 146
BR/polyisoprene blend, flowing, structure development and phase behavior (abs-F94#77) (1) 188
Branching, in 'linear' polymer, analysis by sol–gel method (2) 287
Branching, in BR, studied by small shear and large elongational measurements (abs-S95#22) (4) 693
Brass-rubber adhesive interphase, analysis with Auger electron spectroscopy (abs-S95#21) (4) 693
Brominated copolmer, of IM and *p*-methylstyrene (abs-S95#11) (4) 690
Bromination, of EPDM, effect on properties in the presence of divinylbenzene (5) 824
Buffer test method, for rubber-metal adhesion (abs-F94#62) (1) 183
Bushings, for miltary track, effect of torsional stiffness on fatigue life (abs-S95#8) (4) 689
Butadiene–acrylonitrile pre-elastomer, molecular model (abs-F94#74) (1) 187
Butyl rubber (IIR), prediction of unsaturation during manufacture (abs-F94#76) (1) 188

Capillary rheometry, for detecting deformation-induced crystallinity of EPDM (abs-F94#30) (1) 175
Caprolactam, block polymers made using amine terminated polyethers as initiators (abs-F94#50) (1) 180
Carbon black aggregates, 3D reconstruction using stochastic search (abs-F94#8) (1) 169
Carbon black loaded SBR, strained, studied by atomic force microscopy (4) 652
Carbon black reinforcement, mechanism determined by finite deformation biaxial extension (2) 311
Carbon black, comparison of commercial grade with pyrolytic product from scraptires (2) 330
Carbon black, controlling dispersion and distribution (abs-F94#52) (1) 180
Carbon black, determination in SBR through microwave ashing (abs-S95#39) (4) 697
Carbon black, external surface area studied by nitrogen adsorption (4) 590
Carbon black, flocculation in unvulcanized compounds during annealing (abs-F94#68) (1) 185
Carbon black, for industrial rubber products, efficient compounding with (abs-F94#91) (1) 193
Carbon black, fractal structures in rubber reinforced with (4) 623
Carbon black, in tire treads, reactive mixing of (abs-S95#59) (4) 703
Carbon black, influence of morphology and pellet properties on macro-dispersion (abs-S95#55) (4) 702
Carbon black, influence on high strain dynamic properties (abs-S95#40) (4) 698
Carbon black, influence of aggregate structure and matrix infiltration on dispersion of (5) 836
Carbon black, modeling reinforcement in rubber (abs-F94#10) (1) 169
Carbon black, surface area evaluation by nitrogen adsorption (abs-F94#6) (1) 168
Carbon black-loaded rubbers, deformation of filler morphology (abs-F94#7) (1) 169, (4) 652
Carbon black-rubber compounds, determining rheological properties (1) 50
Carbon blacks, in pairs, in compounds for annular blow-out preventers (abs-F94#72) (1) 186
Carbon-black filled rubber, effect of fractal nature of surface on adsorptionof polymers (1) 26
Cavitation, near a crack tip in axisymmetric elastomeric solid (abs-S95#7) (4) 689
Cavitation, theoretical approach in rubber (5) 757
Cellular rubber, measuring gas reaction and vulcanization, with rotorless curemeter (abs-F94#93) (1) 193
Chain network density, in determining filler reinforcement effects in NR (abs-S95#13) (4) 690
Chemlok® 8200, waterborne rubber to metal adhesive (abs-F94#92) (1) 193
Coagents, for peroxide crosslinking of elastomers (abs-F94#15) (1) 171
Coagents, for peroxide crosslinking of elastomers (abs-F94#14) (1) 170
Coagents, in peroxide cures of elastomers (abs-F94#5) (1) 168
Coagents, metallic, for peroxide cure of elastomers, improvement in metal to rubber adhesion (abs-F94#16) (1) 171
Cohesive strength and tack, in black-filled SBR (2) 248
Compatibilization, of NR/polystyrene blends, by use of NR-*graft*-polystyrene (4) 671
Composites, cord rubber, new large deformation micropolar theory (1) 77
Composites, of rubber reinforced with nylon cord, fatigue and residual strength degradation (abs-F94#20) (1) 173
Compressed Design Experiment, for designing compounds from thermoplastics and recycled tires (abs-F94#70) (1) 186
Compression stress relaxation, of TPEs, as related to compression set (abs-F94#27) (1) 175

Coran, Aubert Y., Charles Goodyear Medalist—1995, biography (3) G47
Cord-rubber composite, large deformation micropolar deformation theory (1) 77
Cord–rubber composites, damage monitoring by acoustic emission (abs-S95#28) (4) 695
Cord–rubber composites, cumulative damage and fatigue failure (abs-S95#2) (4) 688
Cornering coefficient, in tires, improved with ultrahigh reinforcing silica (Hi-Sil® 20) (abs-F94#88) (1) 192
Correlation, of silicone rubber properties with precipitated silicas used (1) 59
CPE (Chlorinated polyethylene), blends with polyolefins (abs-F94#13) (1) 170
CR, crosslinking for improved age resistance (abs-F94#53) (1) 181
CR, vibration isolation applications (abs-F94#41) (1) 178
Crack growth test, for V-belt compounds (abs-F94#19) (1) 172
Crack growth, factors affecting (review) (3) 435
Crack growth, of seals, factors affecting (2) 197
Crack growth, of tire compounds (abs-F94#18) (1) 172
Cross link density, of dynamically vulcanized TPEs (abs-F94#26) (1) 175, (4) 573
Crosslink compensation, during accelerated sulfur cure (abs-F94#90) (1) 192
Crosslink densities, of TPEs, by NMR (4) 573
Crosslink density, and relation to diffusion of antioxidants (5) 705
Crosslinking, of polymers, evaluation of sulfur/accelerator and peroxide systems (abs-F94#1) (1) 167
Crosslinks, distribution in vulcanized elastomer blends (review) (3) 461
Crystallization, of rubber (review) (3) 507
CSM (chlorosulfonated PE), effect of surface modification of silica on chemical reaction with (5) 815
CSM (chlorosulfonated polyethylene), controlled alloying with thermoplastic resins for roofing (abs-S95#35) (4) 697
Cure rate, maximum, use in compound development and quality control (abs-S95#41) (4) 698
Curemeter, for maximum cure rate in rubber compound development (abs-S95#41) (4) 698
Cylinders, bonded NR and BR, uniaxial deformation in (5) 739
Cytotoxicity, low, of NR vulcanized by radiation (abs-F94#83) (1) 190

Deformation, in cord rubber composites, new micropolar theory (1) 77
Deformation, inhomogeneous, in carbon black filled SBR (4) 652
Design of experiments, in analysis of elastomer injection molding (abs-S95#56) (4) 702
Devulcanization, of waste rubber using ultrasonic technology (2) 267
Dicumyl peroxide cured gum SBR, effect of hydrocarbon and amine diluents on properties (2) 212
Diffusion and permeation, through rubbery material (abs-F94#23) (1) 173
Diffusion, of antioxidants in rubber (5) 705
Dispersion, of carbon black, influence of aggregate structure and matrix infiltration on (5) 836
Dispersion, of carbon black in rubber, effect of morphology and pellet properties on (abs-S95#55) (4) 702
Dithiocarbamates, solubility in NR (5) 794
Double networks, of NR, failure properties (1) 124
Dry blending, of NBR/PVC to multistructural form (abs-F94#79) (1) 189
Dynamic Mechanical Analysis, for determining micromolecular structure and crystallinity of EPDM (abs-F94#30) (1) 175
Dynamic mechanical loss, of filled siloxane elastomers (4) 601
Dynamic mechanical properties, of elastomers, from rheological testing (abs-S95#50) (4) 700
Dynamic mechanical properties, measured before, during and after cure, with RPA 2000 Analyzer (abs-F94#32) (1) 176
Dynamic modulus, finding linear relationship between internal energy change and true stress (abs-S95#42) (4) 698
Dynamically vulcanized TPEs, characterization and morphology of (4) 573

EB cures, for SBR tank track pads (abs-F94#43) (1) 178
Ejection system, for launching torpedos, of highly crosslinked NR (abs-S95#1) (4) 688
Elastomer–filler interaction, in bound rubber (2) 297
ENGAGE®, ethylene/octene copolymers, with improved heat aging properties (abs-F94#87) (1) 191
EPDM membrane roofing, effects of solar heating and radioactive cooling on (abs-S95#47) (4) 700
EPDM membrane roofing, ballasted, shrinkage and embrittlement analysis of (abs-S95#46) (4) 699
EPDM, effect of bromination on properties in the presence of divinylbenzene (5) 824
EPDM, effect of porosity and shape factor on modulus (2) 219
EPDM, micromolecular structure of highly crystalline (abs-F94#30) (1) 175
EPDM, vulcanization by phenol-formaldehyde resins, formation of methylene crosslinks during (5) 717
EPDM, vulcanization with ultra accelerators based on nonsecondary amines (abs-F94#86) (1) 191
EPDM, zinc sulfonated, an ionic thermoplastic elastomer, plasticized with oil and DMSO (abs-S95#52) (4) 701
EPDM/polypropylene TPE, characterization (abs-F94#26) (1) 175, (4) 573
EPM/EPDM copolymers, compared with ethylene/octene copolymers (abs-F94#87) (1) 191
Equation, for prediction of unsaturation of IIR in the reactor (abs-F94#76) (1) 188
Equilibrium swelling studies, of filled NR, relation to chain network density (abs-S95#13) (4) 690

Equilibrium thermodynamics, for proportionality constant from linear thermal expansion coefficient (abs-S95#42) (4) 698
Ethylene/octene copolymers (ENGAGE®), with improved heat aging properties (abs-F94#87) (1) 191
ETPB (epoxy terminated polybutadiene), separation from maltene (1) 158
European Committee for Standardization (CEN), link between national and global standardization (abs-F94#98) (1) 195

Failure properties, of NR double networks (1) 124
Fatigue and residual strength degradation, of nylon-cord reinforced rubber composites (abs-F94#20) (1) 173
Fatigue failure, cumulative, of cord–rubber composites (abs-S95#2) (4) 688
Fatigue, of elastomers, energetic approach to (review) (3) 435
FEA (finite element analysis) of composite elastomeric bearing (abs-F94#73)(1) 187
FEA (finite element analysis), for characterizing rubber elastic behavior (abs-S95#57) (4) 703
FEA (finite element analysis), nonlinear, of adhesive strength between rubber and rigid surfaces (1) 1
Field ionization, in direct analysis of elastomers (5) 783
Filled vulcanizates, complex displacement histories (4) 660
Filler surfaces, disordered, adsorption of polymers on (1) 26
Fire testing, small scale, for roofing systems (abs-S95#49) (4) 700
Flocculation, of carbon black in unvulcanized compounds during annealing (abs-F94#68) (1) 185
Flow effects, on phase structure and behavior, of BR/polyisoprene blends (abs-F94#77) (1) 188
Fluorination, of aramid fibers to promote adhesion to rubber (abs-S95#17) (4) 691
Fluorocarbon refrigerants, effect on swelling of sealant materials (abs-S95#23) (4) 693
Footwear, rubber, applications and manufacture (abs-F94#82) (1) 190
Fractal analysis, of commercial and pyrolytic carbon blacks (2) 330
Fractal nature, of carbon black particles, influence on adsorption of polymers (1) 26
Fractals, in carbon black reinforced rubber (4) 623
Fractography, quantitative, of rubber, by image processing technique (1) 132
Fracture mechanics study, of seals during decompression (2) 197
Fracture, of elastomers, energetic approach to (review) (3) 435
Frisch, Harry L., recipient of George Stafford Whitby Award, 1995 (3) G43
FT-IR spectroscopy, photoacoustic, for quantitative evaluation of polymer structure (abs-S95#19) (4) 692
Fumes generated during vulcanization, laboratory identification of (abs-S95#31) (4) 695

Gasket materials, TPE, compression stress relaxation measurements (abs-F94#27) (1) 175
Gaskets and grommets, of silicone rubber, use of FEA to achieve optimum properties (abs-S95#57) (4) 73
Glass–rubber transition of styrene block, effect on viscoelasticity of the block polymer (abs-S95#24) (4) 694
Goodyear Medal Address, 1995 (3) 351

H-shaped light-scattering patterns, in flowing BR/polyisoprene blends (abs-F94#77) (1) 188
Hi-Sil®REZ, precipitated silica, easy dispersing, for tires (abs-S95#51) (4) 701
Hi-Sil®2000, ultra-high reinforcing precipitated silica in tires (abs-F94#88) (1) 192
High-strain dynamic properties, of rubber with carbon black filler (abs-S95#40) (4) 698
Hindered amine light stabilizer (HALS), for protection of Hypalon roofing membranes (abs-F94#42) (1) 178
HNBR elastomers, peroxide and coagent cures (abs-F94#17) (1) 172
HNBR, carboxylated, with properties exceeding those of traditional polymers (abs-F94#81) (1) 190
Hose, rubber and plastic, international standards for (abs-F94#99) (1) 195
HP/HT completions in oilfields, equipment and sealing systems for (abs-F94#59) (1) 182
HTPB (hydroxy-terminated polybutadiene), in solid rocket propellants (review) (3) 481
Hydrogen sulfide, increasing amounts in oilfields related to NBR use (review) (3) 540
Hydrogenation, of NBR in the latex form (2) 281
Hydrostatic pressure, on rubber cylinders, studied with variable Poisson's Ratio (4) 585; 590

IM, brominated copolymer with *p*-methylstyrene (abs-S95#11) (4) 690
Image processing, for quantitative fractography of rubber (1) 132
Infrared spectroscopy, for characterizing polymer blends (abs-S95#15) (4) 691
Injection molding, of elastomers, experimental design for (abs-S95#56) (4) 702
Insoluble rubber, role in vulcanizing rubber with sulfur/olefin copolymer (5) 746
Interfacial properties, of rubber and its implications (review) (3) 507
International Rubber Science Hall of Fame, 1995, Maurice Morton (2) G27
Ionomer, based on zinc sulfonated EPDM, tests for (abs-S95#52) (4) 701
IR, hydroxy terminated hydrogenated, in polyurethane elastomers (abs-S95#10) (4) 690
ISO standards, for rubber and plastic hose (abs-F94#99) (1) 195
ISO, role in global standardization of rubber products (abs-F94#97) (1) 195
ISO/TC 45, role in international standardization (abs-F94#96) (1) 194
Isophorone diisocyanate, for making polyurethanes with good mechanical and optical properties (abs-F94#25) (1) 174

Kresge, Edward N., recipient of 1995 Melvin Mooney Distinguished Technology Award (3) G45

Latex blending, of NBR/PVC, to uniform spherical-shaped particles (abs-F94#79) (1) 189
Length stretch distribution, in determining mixing efficiency (5) 773
Long, John M., Rubber Division Chairman, 1995, biog. (1) G2
Lossy materials, with low ratios of dynamic to static modulus (abs-S95#4) (4) 689

Mass spectrometry, MS/MS and AC/MS, for direct analysis of elastomers (5) 783
Mathematical model, triboelastic, for determining cyclic mechanical behavior of vulcanizates (4) 660
Matrix infiltration, influence on carbon black dispersion (5) 836
Maxwell internal solid theory, Lagrangian version (abs-S95#7) (4) 689
MDR 2000®P, rotorless curemeter for cellular rubber (abs-F94#93) (1) 193
Medical applications, of TPEs (abs-F94#35) (1) 176
Melt processible rubber, enhancing properties by blending with thermoplastics or elastomer (abs-F94#49) (1) 179
Methylene crosslinks, formation during phenol-formaldehyde vulcanization of EPDM (5) 717
Microscopy, Atomic Force, for study of deformation of filler morphology in black-loaded rubbers (abs-F94#7) (1) 169
Microscopy, atomic force, in study of strained carbon black loaded rubbers (4) 652
Microwave ashing, for determining carbon black in SBR (abs-S95#39) (4) 697
Mixer, continuous, under internal mixer for incorporating curatives without scorch (abs-F94#78) (1) 188
Mixing efficiency, in a multi-cut transfermix (5) 773
Mixing, of rubber compounds, viscoelastic characterization of (abs-F94#66) (1) 184
Model olefins, for studying chemistry of sulfur vulcanization (abs-F94#80) (1) 189
Modulus, small-strain, measuring and estimating in elastomers (abs-F94#55) (1) 181
Molecular modeling, of butadiene–acrylonitrile pre-elastomer (abs-F94#74) (1) 187
Molecular modification, of ultra accelerators based on nonsecondary amines (abs-F94#85) (1) 191
Molecular weight, definition in sol–gel analysis and use in study of branching (2) 287
Monsanto Tensometer 2000, assessing measurement variability (abs-F94#46) (1) 179
Morphology, of rubber (review) (3) 507
Morton, Maurice, inductee to International Rubber Science Hall of Fame, 1995 (2) G27

N-*t*-butyl-2-benzothiazyl sulfenimide (TBSI), accelerator for NR and NR/synthetic rubber blends (abs-F94#51) (1) 180
NBR, chemical attacks on by oilfield environment (review) (3) 540
NBR, determining material constants based on stress relaxation at different strains (2) 230
NBR, effect of surface free energy of molds on top surface of vulcanizate (1) 97
NBR, hydrogenation in the latex form (2) 281
Networks, of hydroxyl-telechelic polyisobutylene and polytetrahydrofuran structure (1) 110
Nitrile rubber (NBR), for oilfield seals, future prospects (abs-F94#58) (1) 182
Nitrile rubber (NBR), vulcanization with ultra accelerators based on nonsecondary amines (abs-F94#86) (1) 191
Nitrogen adsorption, for determining external surface area of carbon black (4) 590
NMR spectroscopy, swollen-state, in finding distribution of crosslinks in vulcanized blend (review) (3) 461
Nomenclature, for polymeric materials, source- vs. structure-based (review) (3) 547
NR composites, with sisal fiber, effect of adhesion on equilibrium swelling (1) 37
NR, blend with polystyrene, compatibilized with NR-*graft*-polystyrene (4) 671
NR, carbon black filled, sulfur vulcanized, TBBS accelerated, ^{13}C NMR study of (4) 551
NR, double networks, failure properties (1) 124
NR/polypropylene TPE, characterization (abs-F94#26) (1) 175, (4) 573
Nylon 66 fibers, evaluating adhesion to NR (abs-S95#18) (4) 692
Nylon cord-reinforced rubber composites, fatigue and residual strength degradation (abs-F94#20) (1) 173

Oilfield environment, NBR for use in (review) (3) 540
Oilfield seals, developing elastomers with desirable properties (abs-F94#57) (1) 182
Oilfield seals, for high pressure/high temperature completions (abs-F94#59) (1) 182
Oilfield seals, future of NBR for use in (abs-F94#58) (1) 182
Olefins, model, for studying vulcanization mechanism (4) 563
Organic peroxides, safe handling (abs-F94#2) (1) 167

Particle tracking, in analysis of mixing efficiency (5) 773
PBR (Polished bore receptacle) seals, in equipment for oilfield use (abs-F94#59) (1) 182
PEN fibers, properties as they relate to reinforcement (abs-S95#27) (4) 694
Perkalink 900, to protect from reversion during accelerated sulfur cure (abs-F94#90) (1) 192
Permeation, through rubbery material (abs-F94#23) (1) 173
Peroxide crosslinking, of elastomers, metallic coagents for and improved rubber-metal adhesives (abs-F94#16) (1) 171
Peroxide cure, guidelines for using (abs-F94#4) (1) 168
Peroxide cures, for elastomers, using coagents (abs-F94#5) (1) 168

Peroxides, and coagents, cure system for HNBR Elastomers (abs-F94#17) (1) 172
Peroxides, for crosslinking of elastomers (abs-F94#3) (1) 167
Phase morphologies, of dynamically vulcanized TPEs (abs-F94#26) (1) 175, (4) 573
Phase separation dynamics, of telechelic epoxy-terminated polybutadiene and maltene (1) 158
Phenol-formaldehyde vulcanization, of EPDM, formation of methylene crosslinks during (5) 717
Phenol-formaldehyde vulcanization, of EPDM, formation of methylene crosslinks during (5) 728
Poisson's Ratio, variable, in study of rubber cylinders under hydrostatic pressure (4) 585
Poly(ether amide) block copolymers, made by using amine-terminated polyethers as initiator (abs-F94#50) (1) 180
Polybutadiene coagents, for peroxide crosslinking of elastomers (abs-F94#15) (1) 171
Polychlorinated dibenzo-*para*-dioxins/dibenzo furan, emitted during burning of car tires (abs-F94#61) (1) 183
Polyester, high-modulus-low-shrinkage, for light-duty tire carcass (abs-S95#26) (4) 694
Polyisobutylene, hydroxyl telechelic, network with polytetrahydrofuran (1) 110
Polymer blends, controlling carbon black dispersion in (abs-F94#52) (1) 180
Polymer structure, quantitative characterization with photoacoustic FT-IR spectroscopy (abs-S95#19) (4) 692
Polymers, organic, nomenclature for (review) (3) 547
Polytetrahydrofuran, network with hydroxy-telechelic polyisobutylene (1) 110
Polyurethane elastomers, from aliphatic diisocyanates with different isomer ratios (abs-F94#25) (1) 174
Polyurethane elastomers, with hydroxy terminated hydrogenated IR (abs-S95#10) (4) 690
Processability, of rubber, using step strain deformation and shear stress relaxation (abs-F94#31 and #32) (1) 176
Pronums (local texture), in analysis of abraded and torn rubber (1) 132
Prony series, for predicting large and small strain material behavior (2) 230
Propellant, filled with hydroxy-terminated polybutadiene, mechanical behavior during ignition (1) 146
Propellant, solid, HTPB in binder for (review) (3) 481

Recycled rubber, from scrap tires, made at low cost and with good technical properties (abs-F94#68) (1) 186
Recycled rubber, surface-activated, for easily processed quality products (abs-S95#54) (4) 702
Recycling rubber scrap, to give useful products (abs-F94#71) (1) 186
Recycling, of rubber parts, SAE recommended practice for marking (abs-F94#38) (1) 177
Recycling, of TPEs (abs-F94#40) (1) 177
Recycling, of TPEs (abs-F94#39) (1) 177
Reinforcement, of rubber by carbon black, modeling (abs-F94#12) (1) 170
Reinforcement, of rubber by carbon black, modeling (abs-F94#10) (1) 169
Reinforcement, of rubber vulcanizates with carbon black, study of mechanism (2) 311
Reinforcement, with PEN fibers (abs-S95#27) (4) 694
Reinforcement, *in situ*, of siloxane elastomers (4) 601
Reprean®, thermoplastic compounded with recycled ground tires (abs-F94#70) (1) 186
Reversion, during accelerated sulfur cure, compensating for with Perkalink 900 (abs-F94#90) (1) 192
Rheo-optical characterization, of random networks of hydroxyl telechelic polyisobutylene and polytetrahydrofuran (1) 110
Rheological properties, of rubber-carbon black and of carbon black-oil compounds (1) 50
Rheological tester, dynamic mechanical, for measuring viscoelastic properties of elastomer (abs-S95#50) (4) 700
Rheology, of PP/EPDM blends, dynamically vulcanized and mechanically blended (5) 728
Rheometer, oscillating disk, for characterizing sponge rubber (abs-F94#95) (1) 194
Rivlin energy density functions (abs-S95#7) (4) 689
Road wear, correlation between road and laboratory tests (5) 804
Robot, for unloading rubber bales (abs-F94#89) (1) 192
Rolling resistance, of tires, improved with solution SBR modified with an isocyanate (abs-F94#64) (1) 184
Rolling resistance, of tires made with easy dispersing precipitated silica (abs-S95#51) (4) 701
Rolling resistance, of truck tires, by tailoring microstructure of tread stock (abs-F94#56) (1) 181
Roof systems, mechanically-attached single-ply, analysis of behavior during a hurricane (abs-S95#45) (4) 699
Roofing materials, polymeric, thermal analysis of (abs-S95#48) (4) 700
Roofing membranes, performance classification system (abs-S95#36) (4) 697
Roofing membranes, PVC, glass transition temperature and performance (abs-S95#38) (4) 697
Roofing system, EPDM, tape adhesives for (abs-S95#37) (4) 697
Roofing systems, correlative small scale fire testing of (abs-S95#49) (4) 700
Roofing, from asphalt modified with rubber (abs-S95#34) (4) 696
Roofing, Hypalon-based, protection with benzotriazole UV absorber (abs-F94#42) (1) 178
Roofing, with alloy of CSM and thermoplastic resin (abs-S95#35) (4) 697
RPA 2000, Dynamic Mechanical Rheological Tester, for measuring properties during and after cure (abs-F94#32) (1) 176

Rubber Chemistry and Technology, Instruction to contributors (3) G41
Rubber cylinders, under hydrostatic pressure with variable Poisson's ratio (4) 585
Rubber Division, ACS, Best Paper Awards, Fall 1994 (4) G56
Rubber Division, ACS, Best paper awards, Spring, 1994 (1) G5
Rubber Division, ACS, Charles Goodyear Medalist—1995, Aubert Y. Coran, biography (3) G47
Rubber Division, ACS, George Stafford WHitby Award, 1995, to Harry L. Frisch (3) G43
Rubber Division, ACS, Library and Information Services (1) G6
Rubber Division, ACS, Melvin Mooney Distinguished Technology Award, 1995, to Edward N. Kresge (3) G45
Rubber Division, ACS, Policy on papers presented at technical meetings (1) G8
Rubber Division, ACS, Program for 1995 Fall Meeting (5) G64
Rubber Division, ACS, Program for 1995 Spring Meeting (2) G12
Rubber-metal adhesion, new test method using a buffer (abs-F94#62) (1) 183

Sabot projectiles, use of silicone rubber on discarding (abs-S95#3) (4) 689
SAE recommended practice, for marking of rubber parts for recycling (abs-F94#38) (1) 177
Safe handling, of organic peroxides (abs-F94#2) (1) 167
Safety footwear, rubber (abs-F94#82) (1) 190
Santoprene®TPE, crosslink density determined through NMR (4) 573
Saret acrylic coagent, for peroxide crosslinking of elastomers (abs-F94#14) (1) 170
SBR, black filled, relationship between cohesive strength and tack (2) 248
SBR, devulcanization using ultrasonic technology (2) 267
SBR, dicumyl peroxide cured gum, effect of amine and hydrocarbon diluents on properties (2) 212
SBR, diimide-hydrogenated, for improving aging of TPEs (abs-F94#24) (1) 174
SBR, solution, modified with isocyanate, for low hysteresis and improved rolling resistance (abs-F94#64) (1) 184
SBR, tin-coupled, dynamic mechanical properties (2) 259
SBR/furnace black compositions, correlating specific surface activity of filler with structure (2) 297
Scanning probe microscopy, lateral-force and force-modulation modes, for use with SBR (abs-F94#9) (1) 169
Scanning transmission imaging, using conventional scanning electron microscope (2) 342
Scrap rubber, devulcanized by ultrasonic technology (2) 267
Scrap tires, analysis of pyrolytic carbon black obtained from (2) 330
Sealants, for fluorocarbon refrigerants and fire suppressants, swelling measurements (abs-S95#23) (4) 693
Seals, for oilfields, developing qualification procedures (abs-F94#57) (1) 182
Seals, gas decompression fracture in (2) 197
Seals, silicone rubber, on discarding sabot projectiles (abs-S95#3) (4) 689
Segmental motion, in polymers, and effects on viscoelasticity (review) (3) 376
Shape factor, in determining modulus of porous bonded blocks (2) 219
Shear stress measurements, low, in determining rheological properties of rubber-black mixes (1) 50
Shear stress relaxation, for measuring processability of rubber (abs-F94#31) (1) 176
Shrinking and embrittlement, of EPDM ballasted roof membranes (abs-S95#46) (4) 699
Silica, improving reinforcement properties in solution polymers (abs-F94#65) (1) 184
Silica, precipitated, effect on silicone rubber performance (1) 59
Silica, precipitated, for improving adhesion of brass-coated wire to rubber (abs-S95#16) (4) 691
Silica, surface modification, effect on interaction with CSM (5) 815
Silicone rubber, effect of precipitated silica physical properties on performance (1) 59
Silicone rubber, for gaskets and grommets, FEA for studying elastic behavior of (abs-S95#57) (4) 703
Silicone rubber, use on discarding sabot projectiles (abs-S95#3) (4) 689
Siloxane elastomers, filled, dynamic mechanical loss in networks (4) 601
Sisal-fiber-reinforced NR composites, effect of adhesion on equilibrium swelling (1) 37
Sol–gel analysis, of branching in 'linear' polymers (2) 287
Solid state study, of dynamic modulus (abs-S95#42) (4) 698
Specialty elastomer, with heat- and oil-resistance, a good sealant (abs-F94#94) (1) 194
Sponge rubber, characterizing with oscillating disk rheometer (abs-F94#95) (1) 194
Stabilization, of Hypalon membrane with benzotriazole absorber and HALS (abs-F94#42) (1) 178
Standardization, of rubber products, by CEN (abs-F94#98) (1) 195
Standardization, of rubber products, role of ASTM and ISO (abs-F94#97) (1) 195
Standardization, role of ISO/TC45 (abs-F94#96) (1) 194
Statistical analyses, of tensile testing with dumbbells (abs-F94#46) (1) 179
Step strain deformation, as processability measure for rubber (abs-F94#31) (1) 176
Strain energy density, in determining mechanism of carbon black reinforcement of vulcanizates (2) 311
Stress optical coefficient, in uniaxial deformation of rubber cylinders (5) 739
Stress–strain curves, of porous bonded blocks (2) 219
Styrene–butadiene–styrene block copolymers, viscoelastic behavior (abs-S95#24) (4) 694

Subnetworks, of carbon black, effect on high-strain dynamic properties (abs-S95#40) (4) 698
Sulfenimide accelerator, for blend of natural and synthetic rubber, giving increased life (abs-F94#51) (1) 180
Sulfur vulcanization, of rubber, studied with low-molecular weight olefins (abs-F94#80) (1) 189
Sulfur, solubility in NR (5) 794
Sulfur/olefin copolymers, vulcanizing agents for rubber (5) 746
SURCRUM®, surface-activated crumb rubber (abs-S95#54) (4) 702
Surface free energy, of vulcanizates related to that of molds (1) 97
Surface roughness, effect on adhesion and autohesion of rubber compounds (1) 13
Surface structure, of NBR vulcanizates in air after being molded (1) 97
Swelling measurements, of polymer solutions and gels in HCFC (abs-S95#23) (4) 693
Swelling studies, of filled NR, using solid-state ^{13}C NMR and equilibrium method (abs-S95#13) (4) 690
Swelling, of NR composites with sisal fiber (1) 37

Tack and cohesive strength, in black-filled SBR (2) 248
Tank track pads, of SBR rubber cured with EB (abs-F94#43) (1) 178
Tape adhesives, for use in EPDM roofing system (abs-S95#37) (4) 697
TBBS accelerated NR, ^{13}C NMR study of (4) 551
Tear analyzer, for crack growth test in V-belts (abs-F94#19) (1) 172
Tear analyzer, for predicting crack growth in tire compounds (abs-F94#18) (1) 172
Temperature, of rubber wheel, during testing with Lambourn Abrader (abs-S95#43) (4) 699
Tetrabenzylthiuram disulfide, as secondary accelerator for tire applications (abs-S95#29) (4) 695
Texaco liquefaction process, for scrap tires (abs-F94#67) (1) 185
Thermoplastic elastomers, future markets (abs-F94#11) (1) 170
Thermorheological complexity, modes of molecular motion (review) (3) 376
Tin-coupled SBR, dynamic mechanical properties (2) 259
Tire carcass material, angle-plied nylon cord reinforced, studied by acoustic emissions (abs-S95#28) (4) 695
Tire carcass, light-duty, historical review of reinforcement of (abs-S95#26) (4) 694
Tire compounds, crack growth (abs-F94#18) (1) 172
Tire fires, measuring emission of polychlorinated dibenzo-*para*-dioxins/dibenzofuran during (abs-F94#61) (1) 183
Tire materials, characterizing with proton-induced X-ray emission spectroscopy (abs-S95#20) (4) 692
Tire performance, improving through crosslink compensation (abs-S95#32) (4) 696
Tire scrap, devulcanizedd using ultrasonic technology (2) 267
Tire scrap, recycled to compounding material for thermoplastics (abs-F94#70) (1) 186
Tire scrap, recycled to compounds with good technical qualities (abs-F94#68) (1) 186
Tire scrap, Texaco liquefaction process for handling (abs-F94#67) (1) 185
Tire tread, of tin-coupled SBR, dynamic mechanical properties (2) 259
Tire treads, reactive mixing of carbon black in (abs-S95#59) (4) 703
Tires, reclaimed, in TPE compounding (abs-F94#48) (1) 179
Tires, reinforced with easy dispersing precipitated silica (abs-S95#51) (4) 701
Tires, truck, rolling resistance reduced by tailoring polymer microstructure (abs-F94#56) (1) 181
Tires, with improved rolling resistance, from solution SBR modified with isocyanate (abs-F94#64) (1) 184
Tires, with ultra-high reinforcing precipitated silica (Hi-Sil® 2000) (abs-F94#88) (1) 192
Torpedo launcher, of highly crosslinked NR (abs-S95#1) (4) 688
Torsional stiffness, effect on fatigue life of military track bushings (abs-S95#8) (4) 689
TPE, compounding with reclaimed tire rubber (abs-F94#48) (1) 179
TPE, determining crosslink density by NMR (4) 573
TPE, from diimide-hydrogenated emulsion SBR, for improved aging (abs-F94#24) (1) 174
TPEs, dynamically vulcanizaed (3) 351
TPEs, dynamically vulcanized, crosslink densities and phase morphologies (abs-F94#26) (1) 175, (4) 573
TPEs, for air bag covers (abs-F94#36) (1) 177
TPEs, for automotive gaskets, relaxation phenomena (abs-F94#27) (1) 175
TPEs, for medical applications (abs-F94#35) (1) 176
TPEs, recycling feasibility and applications (abs-F94#39) (1) 177
TPU (Thermoplastic polyurethane), applications (abs-F94#12) (1) 170
Transfermix, multi-cut, in analysis of mixing efficiency (5) 773
TRANSFERMIX III, continuous mixer under an internal mixer (abs-F94#78) (1) 188
Tread wear, effect of abrading surfaces on (4) 609
Tread wear, correlation of laboratory and road tests for (5) 804
Triboelasticity, in determining cyclic mechanical behavior of filled vulcanizates (4) 660
Trichloroisocyanuric acid, XPS study of reaction with vulcanized elastomer surfaces (abs-F94#47) (1) 179

Ultrasonic technology, for devulcanization of waste rubber (2) 267
Uniaxial deformation, in bonded rubber cylinders (5) 739
Unsaturation, of IIR, predicting during manufacture (abs-F94#76) (1) 188

V-belt compounds, crack growth test (abs-F94#19) (1) 172
Vibration isolation applications of CR (abs-F94#41) (1) 178
Vibration isolators, dynamic properties of elastomers for (abs-S95#58) (4) 703
Viscoelastic characterization, of end products of mixing rubber compounds (abs-F94#66) (1) 184
Viscoelastic modelling, of elastomer components (abs-S95#7) (4) 689
Viscoelastic processes, temperature dependence of (review) (3) 376
Viscoelasticity, nonlinear, of polymer/carbon black system for vibration isolators (abs-S95#58) (4) 703
Vulcanization mechanism, studied with model olefins (4) 563
Vulcanization, delayed action conventional, and dynamic (review) (3) 351
Vulcanization, dynamic, for trapping carbon black in a specific polymer of a blend (abs-F94#52) (1) 180
Vulcanization, laboratory study to identify fumes generated during (abs-S95#31) (4) 695
Vulcanization, of high-diene rubbers, with accelerators based on nonsecondary amines (abs-F94#84) (1) 191
Vulcanization, of NR, by radiation (abs-F94#83) (1) 190
Vulcanizing rubber, with sulfur/olefin copolymers (5) 746

Wilkinson catalyst, for hydrogenation of NBR in latex form (2) 281
Wind performance, of mechanially attached single-ply roof systems (abs-S95#45) (4) 699
Wire and cable, peroxide crosslinking of elastomers for (abs-F94#15) (1) 171
Wire-to-rubber adhesion, improving by use of precipitated silica (abs-S95#16) (4) 691

X-ray emission spectroscopy, proton-induced, for characterizing tire materials (abs-S95#20) (4) 692

Zinc dithiocarbamates/xanthate accelerators, in study of vulcanization using model olefins (4) 563
Zinc-free concept, in curing systems to enhance abrasion resistance of silica- reinforced solution polymers (abs-F94#65) (1) 184